

OS-133


- 12,000 rpm free speed for swirl-free finishes.
- Durable composite design.
- Bùilt-in power regulator for optimized power control.
- Well-balanced for smooth handling.
- 360 degree air exhaust is available for Central Vacuum.


APPLICATION:


Auto body shop paint parts, auto bumper fabricated metal parts, steel caps, fiberglass boats, final finish sanding, wood furnitures, architectural millwork, etc.


OS-196C











OS 156S

OS 156C

Model	Pad Size		Dia Orbital		Vacuum Type	Free Speed	Ave. Air Consumption	
	in.	ntm	in.	inn (m)		RPM	CFM	Vmin
OS153	3	76	3/16	5	Non-vac	12,000	2.0	. 57
OS153C	3	76	3/16 .	. 5	Central Vac	12,000	2.0	57
OS153S	3	76	3/16	5	Self-generated Vac	12,000	2.0	57
OS1535	3-1/2	. 89	3/16	5	Non-vac	12,000	2.0	57
OS1535C	3-1/2	89	3/16	5	Central Vac	12,000	2.0	. 57
OS1535S	. 3-1/2	89	3/16	5	Self-generated Vac	12,000	2.0	57
OS155	5	127 .	3/16	5	Non-vac	12,000	2.0	57
OS155C	. 5	127	3/16	5	Central Vac	12,000	2.0	57
OS155S	5	127	3/16	5	Self-generated Vac	12,000	2.0	57
OS156	6	152	3/16	5	Non-vac	12,000	2.0	57
OS156C	6	152	3/16	5 .	Central Vac	12,000	2.0	57
OS156S	6	152	3/16	5	Self-generated Vac	12,000	2.0	57
OS133	3	76	3/32	2.5	Non-vac	12,000	2.0	57
OS133C	3	76	3/32	2.5	Central Vac	12,000	2.0	57
OS133S	3	76	3/32	2.5	Self-generated Vac	12,000	2.0	57
OS135	5	127	3/32	2.5	Non-vac	12,000	2.0	57
OS135C	5	127	3/32	2.5	Central Vac	12,000	2.0	57
OS135S	5	127	3/32	2.5	Self-generated Vac	12,000	2.0	57
OS136	6	152	3/32	2.5	Non-vac	12,000	2.0	57
OS136C	6	152	3/32	2.5	Central Vac	12,000	2.0	57
OS136S	6	152	3/32	2.5	Self-generated Vac	12,000	2.0	57
OS195	5	127	3/8	10	Non-vac	12,000	2.5	71
OS195C	5	127	3/8	. 10	Central Vac	12,000	2.5	71
OS195S	5	127	3/8	10	Self-generated Vac	12,000	2.5	71
OS196	6	152	3/8	10	Non-vac	12,000	2.5	71
OS196C	6	152	3/8	10	Central Vac	12,000	2.5	.71
OS196S	6	152	3/8	10	Self-generated Vac	12,000	2.5	71







Basso is the world leading manufacturer for pneumatic nailers / staplers. Basso leverages its solid foundation of pneumatic nailers / staplers into the automotive air tools.

Basso is constantly working on the development of a more extensive pneumatic nailers / staplers product line that can not only meet the various demands of professional users but also exceed their expectations of superior performance and quality.

If yor need any product information, please feel free to contact with us.

BA550

BASSO INDUSTRY CORP.

No. 24, 36th Rd., Taichung Industrial Park, Taichung, 40768 Taiwan, R.O.C.

Tel: +886-4-2350 0628 / Fax: +886-4-2359 8880

E-mail: sales@basso.com.tw

www.BASSO.com.tw



2012.02.21